


Gas Pireplaces







INDEX

GAS FIREPLACES

About us	Why Planika?	Technology
4	7	8
Safety	ECO	Valentino
11	12	15
Monroe	Versal	Sinatra
23	33	37
Custom open	Outdoor	Product comparison
41	43	50
	Technical drawings	

52

2

ABOUT US

Planika would like to introduce you to the amazing world of modern gas fireplaces. We join the warmth of natural fire with the advanced and safe technology that Planika offers, creating unique and highly functional fire solutions. It allows us to achieve the effect of dancing flames in their natural golden colour. With wide expertise in designing and developing advanced fireplaces, Planika gained recognition all around the world.

Today, Planika is selling products in more than 80 countries, achieving more and more appreciation among architects and clients of the private and commercial sector. The fireplaces are designed and developed by a professional group of engineers at Planika's laboratory, equipped with the most advanced measuring and testing instruments. Each product is carefully tested prior to selling it, ensuring the best quality and safety of Planika's fireplaces.

We do believe that Planika's success lies in our approach to fire design that is based on a constantly changing technology and solutions. It allows us to create truly advanced fireplaces. Extensive technical knowledge and experience taught us to design every product from start to finish. By selecting the highest quality materials, components and technological solutions, Planika has come up with fireplaces that meet the most restrictive requirements of architects and designers. To provide the finest and reliable products, our specialists constantly keep updating and modernizing the implemented technologies.

Due to this innovative approach to the needs of our customers, Planika has become the world leader in designing, manufacturing and distributing advanced automatic gas and bioethanol fireplaces for both commercial and residential spaces.

Trust our technology and find out for yourself!







WHY PLANIKA?

WHY TO CHOOSE US?

WORLDWIDE EXPERIENCE

- Over 15 years on the international market
- Leadership in the fireplace industry
- Numerous projects on every continent
- Appreciation in over 80 countries
- Top private and commercial projects (Marriott, Hilton, Kempinski and many more)

ENVIRONMENT FRIENDLY

- No harmful by-products
- No smell, smoke and ash
- Energy efficient
- Consistent heat supply
- Closed or open combustion system

CUSTOMIZATION

- Custom length and configuration
- Versatile installation options
- Designed to fit in any interior conception
- LPG or natural gas supplied
- Different finish and glazing options
- Help from the Projects Department

ADVANCED SAFETY FEATURES

- Multiple safety sensors: gas, CO and seismic activity
- Child lock
- Advanced thermostat for constant heat
- Service reminder
- Automatic ignition
- Certified solutions

CONVENIENCE OF USE

- Smart Home System compatible
- Remote control
- Mobile device control (mobile application via Wi-Fi)
- 15 levels of flame height
- Eco flow mode
- Modular structure

UNIQUE DESIGN

- Anti-reflective glass
- Linear-shape/campfire / fire pit burners
- Authentic-looking decorative logs and accessories
- LED / ambient lighting
- Warm, glowing flames

TECHNOLOGY

FLUE SYSTEMS

Planika offers the best quality flue systems dedicated for gas fireplaces made of light and durable stainless steel. The installation is easy, time-saving and does not require any additional construction work, making it a practical and convenient alternative for traditional brick chimneys. All our gas fireplaces can be also connected to an existing system. An exposed flue system painted in any colour from the RAL palette and clampless tubing can be a unique decoration for every interior design. Depending on specific requirements, the system also allows for installing long horizontal sections and turns at different angles. If the chimney draft is insufficient, Planika offers advanced extracting fans, installed at the end of the system. Thanks to automatic control by the fireplace, it ensures proper device operation at all times. We offer full support with the selection of all needed elements of the flue system.

BALANCED FLUE SYSTEM


A balanced flue system provides a hermetically sealed burning process. The concentric structure allows for extraction of any combustion products outside the building and supplying fresh air for the burning process at the same time. What is more, the fireplace does not affect the air in the room, providing only heat and ambient light.

Due to the highest heat efficiency, it is the best system for energy-saving buildings. The solution also does not affect the supply and exhaust ventilation. The balanced flue system is a solution dedicated for Valentino and Monroe gas fireplaces.


CONVENTIONAL FLUE SYSTEM

A conventional system offers a simple installation and can be connected to an existing flue, regardless what the material it is made of. This feature makes our gas supplied products a unique alternative to replace a traditional wood-burning fireplace. This system allows for many non-standard options and solutions for your fireplace, including fireplaces designed for specific arrangement requirements.





Balanced flue system



Conventional flue system

TECHNOLOGY

TWO BURNER TYPES:



A linear burner is the solution that allows us to create the long line of real fire. The sine wave-shaped flames influence the effect of unique depth of fire. The modular division makes it possible to turn on and off the side sections of the burner.



The campfire burner gives the fireplace the look of a traditional fireplace, but without any smoke, smell and ash. We divided the burner into two separate modules, the upper of which can be turned on and off at any time. The system of decorative logs arranged in the shape of a campfire is the solution for natural fire admirers.

9898A

CLEAN FUEL OPTIONS



Planika's advanced gas fireplaces allow for two different supply options. Choose LPG or Natural Gas and create beautiful flames in any interior.

ADVANCED THERMOSTAT



Equipped with advanced thermostats, Planika's products allow for convenient control of the temperature. The fireplace automatically regulates the flame height, maintaining the desired room temperature.

15 FLAME HEIGHTS



The flame height can be easily controlled by the user at any time. Also, the unique Eco Flow function automatically regulates the flame in the desired time-intervals, informing you about the current level of gas consumption.

REMOTE CONTROL OPTIONS

The comfort of use is yet another of our top priorities. Planika's fireplaces allow for convenient remote control options.



• The handheld remote offers convenient control of the flame and other parameters of the fireplace operation.



Connect your gas fireplace with an advanced Smart Home
 System and control it from any place, anytime.



 Wi-Fi module makes it possible to control the fireplace with any smart device and a mobile app. Enjoy the dancing flames from the comfort of your sofa.

HEAT INFLECTOR



Planika's gas fireplaces are equipped with a quality heat inflector that protects TV and other sensitive items from absorbing excessive heat and reduce the temperature.



SAFETY

BURNING CONTROL SYSTEM



The advanced electronic components combined with multiple safety sensors, monitor the operation of the fireplace and turn the device off in case any disfunction is detected.

- a) CO sensor an advanced safety feature aiming to detect any leaks in the flue system
- b) Gas sensor in case any gas leaks are detected, the main valve is closed, turning the fireplace off immediately
- Seismic activity sensor to ensure the highest level of safety, the fireplace is automatically deactivated if any shakes are detected

FLAME CONTROL



An ionizing electrode controls the flame - should it unexpectedly go out, the gas supply will be automatically disconnected.

CHILD LOCK



In order to be turned on, the device requires a fixed sequence of buttons to be pushed. This feature minimizes the risk of unwanted activation of the fireplace.

CERTIFIED CONSTRUCTION



Planika's products and components have successfully passed extensive tests carried out by the leading certification institutes meeting the most demanding European safety and quality requirements.

SERVICE REMINDER



Once a year, the firepalce automatically informs the user about the scheduled service. The reminder helps to maintain proper device operation at all times.



EC0

ECO FLOW FUNCTION



Planika introduces Eco Flow, a function reducing gas consumption without losing the natural look of the fire. Eco Flow regulates the flame height over time based on the pattern set by the user through the application.

MODULAR BURNER



Most of Planika's gas fireplaces are equipped with multiple burners. The user can turn off a section of the fireplace, saving up to 50% of gas, without losing the unique ambience of golden flames.

SPACE HEATING



A gas fireplace is not just a decoration - a room can be heated up by the warm air discharged from the furnace through two concentrating additional pipes. It does not include exhaust gases or pollution – it is a natural, clean source of heat. The ambient temperature is also increased due to the emission of heat through the glass, obscuring the flame. The combination of these two systems allows to achieve outstanding results and quickly warm a cold room.

PERFECT FOR BUILDINGS WITH HEAT RECOVERY VENTILATION

A gas fireplace with closed combustion ensures the highest level of thermal comfort. It is the perfect solution for buildings with heat recovery ventilation (HRV), since it does not interrupt the operation of the system.



FCO FUFI



Switch to green energy today! Both LPG and Natural Gas are an environment-friendly fuel, providing you with a clean source of energy. As opposed to wood and biomass, it does not produce any smoke, soot, smell, ash and hazardous gasses.







VALENTINO

GAS FIREPLACES

Valentino combines all the features of a modern and advanced gas fireplace. With the most natural-looking ceramic logs, decorative elements and beautifully natural flames, Valentino is a perfect alternative for traditional wood-burning fireplaces.

The engineers of Planika equipped the fireplace with multiple safety features, guaranteeing always proper operation of the device. The advanced gas and CO sensors detect leaks in the flue and gas installation. The seismic activity sensor and child lock mode provide even more safety for you and your family.

Thanks to the applied technological solutions, Valentino allows for a significant reduction of gas consumption (Eco Flow mode and the possibility of disconnecting sections of the burner). The fireplace can be controlled with a handheld remote, Smart Home System and mobile devices with a dedicated application. Such an exclusive feature brings your comfort to another level. Diversified glazing options and a long line of fire allow

for arranging Valentino in all kinds of interiors. The fireplace is offered in two standard lengths, each in four different versions of anti-reflective glass.

Available anti-reflective glazing options:

Valentino F glazing on one side (front)

Valentino LF glazing on two sides (left, front)

Valentino FR glazing on two sides (front, right)

Valentino LFR glazing on three sides (left, front, right)



VALENTINO F

FRONT GLAZING 1000/1300

























FEATURES:

Linear-shape burner Anti-reflective glass - front LPG / Natural Gas powered CO sensor Gas sensor Seismic activity sensor Child lock Advanced thermostat Service reminder

Remote control Smart Home System compatible Wi-Fi (mobile device control) 15 levels of flame height Eco flow mode Modular burner Natural-looking accessories Heat inflector

Front glass length [mm]	1000		1000 1300	
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	6,4	6,7	8,5	7,4
Nominal Heat Input (Hi) [kW]	8,5	8,9	11,3	9,9
Gas consumption [m³/h]	0,25-0,9	-	0,29-1,2	-
Gas consumption [kg/h]	-	0,2-0,7	-	0,2-0,78
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130

VALENTINO LF/FR

LEFT/FRONT OR FRONT/RIGHT GLAZING 1000/1300





























FEATURES:

Linear-shape burner Anti-reflective glass - left/front or front/right LPG / Natural Gas powered CO sensor Gas sensor Seismic activity sensor Child lock Advanced thermostat Service reminder

Remote control Smart Home System compatible Wi-Fi (mobile device control) 15 levels of flame height Eco flow mode Modular burner Natural-looking accessories Heat inflector

Front glass length [mm]	1000		13	00
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	Natural gas (G20/G25)	LPG (G30/G31)
Nominal Heat Output [kW]	6,4	6,7	8,5	7,4
Nominal Heat Input (Hi) [kW]	8,5	8,9	11,3	9,9
Gas consumption [m³/h]	0,25-0,9	-	0,29-1,2	-
Gas consumption [kg/h]	-	0,2-0,7	-	0,2-0,78
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130





VALENTINO LFR

LEFT/FRONT/RIGHT GLAZING 1000/1300

























FEATURES:

Linear-shape burner Anti-reflective glass - left/front/right LPG / Natural Gas powered CO sensor Gas sensor Seismic activity sensor Child lock Advanced thermostat Service reminder

Remote control Smart Home System compatible Wi-Fi (mobile device control) 15 levels of flame height Eco flow mode Modular burner Natural-looking accessories Heat inflector

Front glass length [mm]	1000		length [mm] 1000 1300		00
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	Natural gas (G20/G25)	LPG (G30/G31)	
Nominal Heat Output [kW]	6,4	6,7	8,5	7,4	
Nominal Heat Input (Hi) [kW]	8,5	8,9	11,3	9,9	
Gas consumption [m³/h]	0,25-0,9	-	0,29-1,2	-	
Gas consumption [kg/h]	-	0,2-0,7	-	0,2-0,78	
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	Matt black painted steel / optional rear lining: black ceramic glass (high gloss)	
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130	Concentric flue 200/130	





MONROE

GAS FIREPLACES

Monroe is a contemporary gas fireplaces that offers numerous advantages to meet the most demanding expectations of our customers. Planika's team of engineers created a set of best-quality ceramic logs to bring the flames to a much higher level and to make Monroe look as natural as a traditional fireplace.

The fireplace significantly reduces heating costs and gas consumption thanks to the Eco Flow mode and the possibility to turn off the upper section of the burner. Monroe fireplace can be controlled with a handheld remote or any smart device via Wi-Fi system and a dedicated mobile application. Also, it can be connected to an advanced Smart Home System.

Planika's gas fireplaces utilize the most advanced and certified technological solutions and are made of the best-quality materials and components. All of this to ensure safe and convenient operation of the device. Monroe gas fireplace is equipped with multiple safety sensors. The operation of the

device will be automatically shut down in case of any leaks in the gas or chimney installations. Additional safety is provided thanks to an advanced seismic activity sensor and child lock mode.

Monroe is a perfect gas fireplace for those who value practical and convenient solutions and of course who value the beauty of dancing, golden flames. This model is offered in one standard length which comes in four anti-reflective glazing options - to perfectly fit any interior design.

Monroe F glazing on one side (front)

Monroe LF glazing on both sides (left, front)

Monroe FR glazing on both sides (front, right)

Monroe LFR glazing on three sides (left, front, right)

MONROE F

FRONT GLAZING 900





























FEATURES:

Campfire burner Anti-reflective glass - front LPG / natural gas powered CO sensor Gas sensor

Seismic activity sensor

Child lock

Advanced thermostat Service reminder

Remote control

Smart Home System compatible Wi-Fi (mobile device control) 15 levels of flame height

Eco flow mode Modular burner

Natural-looking accessories

Heat inflector

Front glass length [mm]	900		
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	
Nominal Heat Output [kW]	8,3	9,2	
Nominal Heat Input (Hi) [kW]	11,0	12,2	
Gas consumption [m³/h]	0,22-1,2	-	
Gas consumption [kg/h]	-	0,20-0,96	
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel	
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	





MONROE LF/FR

LEFT/FRONT OR FRONT/RIGHT GLAZING 900



























FEATURES:

Campfire burner

Anti-reflective glass - left/front or front/right

LPG / natural gas powered

CO sensor

Gas sensor

Seismic activity sensor

Child lock

Advanced thermostat

Service reminder

Remote control

Smart Home System compatible

Wi-Fi (mobile device control)

15 levels of flame height

Eco flow mode

Modular burner

Natural-looking accessories

Heat inflector

Front glass length [mm]	900		
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	
Nominal Heat Output [kW]	8,3	9,2	
Nominal Heat Input (Hi) [kW]	11,0	12,2	
Gas consumption [m³/h]	0,22-1,2	-	
Gas consumption [kg/h]	-	0,20-0,96	
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel	
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	

MONROE LFR

LEFT/FRONT/RIGHT GLAZING 900





























FEATURES:

Campfire burner Anti-reflective glass - left/front/right

LPG / natural gas powered

CO sensor

Gas sensor

Seismic activity sensor

Child lock

Advanced thermostat

Service reminder

Remote control

Smart Home System compatible

Wi-Fi (mobile device control) 15 levels of flame height

Eco flow mode

Modular burner

Natural-looking accessories

Heat inflector

Front glass length [mm]	900		
Fuel option	Natural gas (G20/G25)	LPG (G30/G31)	
Nominal Heat Output [kW]	8,3	9,2	
Nominal Heat Input (Hi) [kW]	11,0	12,2	
Gas consumption [m³/h]	0,22-1,2	-	
Gas consumption [kg/h]	-	0,20-0,96	
Interior	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel	Matt black painted steel / optional rear lining: black ceramic glass (high gloss) or brick panel	
Flue system [mm]	Concentric flue 200/130	Concentric flue 200/130	




MONROE

VALENTINO

ANTI-REFLECTIVE GLASS

ANTI-REFLECTIVE GLASS




MONROE

FINISHING OPTIONS

VALENTINO

FINISHING OPTIONS







VERSAL

GAS FIREPLACES

Versal is a fireplace of many benefits. It is available in two different versions – an insert and freestanding solution, both available in four different lengths. Fireplaces offer an advanced gas burner with natural-looking decorative logs and accessories, smooth 15-level flame height regulation, convenient remote control, Wi-Fi connection and Eco-Flow mode, allowing for easy gas consumption control.

With the conventional flue system, it allows for easy and convenient connection to an existing chimney.

The standard version of the fireplace is equipped with a remotely-controlled convectional fan that ensures better space heating efficiency. As an option, the back and the sides of the fireplace can be covered with a black reflective ceramic glass or brick panels. With a remote control, the user can light a unique illumination of logs, bringing relaxing ambience, even if the fireplace is not burning.

VERSAL INSERT

The ideal alternative for traditional wood-burning fireplaces

Versal insert was designed in such a way that it could fit regular size fireplace openings and be connected to an existing chimney system. All of this without the need of constructing a new housing, made of fire-resistant boards and steel profiles. Its compact size and convenient technological solutions make it a perfect solution for replacing traditional fireplaces. The gas supply can be connected either at the side or back of the fireplace. Versal also provides high efficiency together with reduced gas consumption.

VERSAL FREESTANDING

A unique solution for versatile freestanding fireplace arrangements.

Available in four different sizes, it can be installed in all types of spaces and interiors. Thanks to an optional bracket, Versal can be mounted on a wall to bring a unique suspended-firedesign to your space. At the bottom, the fireplace can be fitted with an optional, capacious metal box to contain wood logs or other decorative accessories.

VERSAL INSERT

VERSAL 400/VERSAL 600/VERSAL 750/VERSAL 900

FEATURES:

15 levels of flame height LPG or Natural Gas powered Convectional fan Ambient lighting Easy installation to existing chimneys Child lock Eco Flow mode Remote control
Smart Home System compatible
Automatic ignition
CE Certified
Ceramic glass
Conventional flue
Gas conection - back or side











VERSAL INSERT 750

VERSAL INSERT 900

VERSAL FREESTANDING

VERSAL 400/VERSAL 600/VERSAL 750/VERSAL 900

FEATURES:

15 levels of flame height LPG or Natural Gas powered Convectional fan Ambient lighting Easy installation to existing chimneys Child lock Eco Flow mode Remote control
Smart Home System compatible
Automatic ignition
CE Certified
Ceramic glass
Conventional flue
Gas conection - back



An optional box to contain wood logs or other decorative accessories.























F/LF/FR/LFR/ISLAND/TUNNEL/ROOM DIVIDER

Sinatra is a modern gas fireplace with a conventional flue system that can be installed in an existing fireplace space or completely a new arrangement. To accommodate to specific design requirements, Sinatra is offered in a wide range of glazing options, including front, corner, room divider, tunnel and island solutions. You can also choose a fireplace with no glass enclosure.

A single fireplace module can offer even a 2,2-meter-long fireline, with the possibility of joining multiple units together for longer lines of fire. The heart of Sinatra is based on a modular burner, allowing for controlled operation of modules. It is also equipped with advanced sensors, guaranteeing the highest level of safety and comfort.

This unique product gives great freedom of custom solutions. Choose from different decorative accessories – white pebbles, black diamond stones, anthracite glass gravel, a set of ceramic logs placed on glowing vermiculite or transparent LED-illuminated glass gravel. For crystal-clear view, the fireplaces can also be fitted with an antireflective ceramic glass screen in different heights.

Sinatra offers 15-levels of flame height regulation, convenient control with a handheld remote or smartphones and tablets with a dedicated mobile app. The ECO-FLOW function allows to choose the shape and height of the flame in 2-15 second intervals and to monitor the current gas consumption.

Sinatra F

Sinatra LF

Sinatra FR

Sinatra LFR

Sinatra Tunnel

Sinatra Room Divider

Sinatra Island

AVAILABLE LENGHTS

1200

1600

2000

2400

CUSTOM

F/LF/FR/LFR/ISLAND/TUNNEL/ROOM DIVIDER

1200, 1600, 2000, 2400

FEATURES:

Linear burner
15 levels of flame height
LPG or Natural Gas powered
Safety sensors
Child lock
Eco Flow mode
Modular burner
Remote control

Smart Home System compatible
Automatic ignition
CE Certified
Ceramic glass
No glass enclosure available
Bespoke sizes
Conventional flue
LED lighting

















F/LF/FR/LFR/ISLAND/TUNNEL/ROOM DIVIDER

1200, 1600, 2000, 2400





CUSTOM GAS FIREPLACES

TAILORED TO YOUR NEEDS

If you dream of a fireplace that is 2, 4 or 6 meters long, we can make it come true. The technological solutions used in our products allows us to create a fireline of any length you desire. Because we are the experts in designing non-standard solutions, to satisfy all of your needs.

To make the fireplaces integrate well in all kinds of interiors, we offer a variety of glazing options – front, double-sided, three-sided, tunnel solutions, room dividers or fully glass-enclosed fireplaces. The antireflective glass ensures a crystal-clear view. You can also choose a fireplace with an open fire, a classic solution without a glass enclosure.

Planika fireplaces are advanced products, fitted with intelligent features. We provide convenient ways to control your fireplace, including a remote, mobile app and SHS compatibility. This allows for flame and heat output regulation. You can also monitor the operation status to have full control over your fireplace.

Our fireplaces are equipped with decorative accessories, including ceramic logs and glowing wires placed on a layer of vermiculite embers. At your request, we can replace the logs with pebbles or glass crystals.

Planika gas fireplaces offer two different fuel options – LPG or Natural Gas, both providing a clean and efficient combustion process and reducing the need for maintenance.

Made of first-rate materials and components, our products comply with the highest standards of quality and safety. The fireplaces are also equipped with sensors, monitoring the operation of the device.

In our offer you can find hoods and flue systems with advanced extraction fans, ensuring proper air circulation and efficient functioning of the fireplace.

Simply contact our Project Department and we will tailor our fireplace to your project.





GALIO CORTEN

OUTDOOR

Galio Corten is a linear gas fireplace that creates a cosy and unique atmosphere in every kind of outdoor living space. Its design and portable, freestanding form bring the beauty and warmth of fire combined with many arrangement possibilities. Made of weather resistant materials, Galio Corten guarantees to deliver style and taste to every residential and commercial outdoor space throughout the whole year.

The length of a single module of Galio Corten fireplace can be customized in the range between 800 mm up to 2000 mm. Thanks to the exceptional design and long line of real fire, Galio awakens the atmosphere of any garden, patio or terrace.



FEATURES:

Linear burner
LPG/Natural Gas powered
For outdoor use
Intuitive control panel
Flame height regulation
Custom length

TECHNICAL DATA:

Net weight: 31 kg / 68 lbs

LPG

Heat output:

min.: 6,3 kW (21 623 BTU) ; max.: 11,8 kW (40 219 BTU)

Gas rate

min.: 0,5 kg/h (1,1 lbs/h); max.: 0,93 kg/h (2,05 lbs/h)

Gas pressure: 37 mbar / 11 WC

NG

Heat output:

min.: 4,7 kW (16 108 BTU); max.: 9,4 kW (32 215 BTU)

∍as rate:

min.: $0.5 \text{ m}^3/\text{h} (17.7 \text{ ft}^3/\text{h})$; max.: $1.0 \text{ m}^3/\text{h} (35.3 \text{ ft}^3/\text{h})$

Gas pressure: 20 mbar / 7 WC

Easy installation
No electrical connection
Portable form

Decorative Black Diamond stones

SHS compatible

Finish:

CASING: corten steel
GLASS SHIELD: tempered glass
BURNER: stainless steel

GALIO INSERT

OUTDOOR

Galio Insert is a linear gas fireplace made of the highest quality, weather resistant materials. This product makes a perfect solution for those who are looking for freedom in arranging fire in all kinds of outdoor spaces. With Galio Insert we make it easy to combine your own design ideas with a unique and beautiful fire.

Galio Insert offers custom length from 800 mm up to 2500 mm. By arranging several modules together it is possible to create an endless line of real fire. It is the perfect solution to create the focal point in both commercial and private spaces, bringing warmth and ambience of the most natural fire.



FEATURES:

Linear burner
LPG/Natural Gas powered
For outdoor use
Intuitive control panel
Flame height regulation
Custom length

Possibility of joining modules
No electrical connection
Portable form
Decorative Black Diamond stones

SHS compatible

TECHNICAL DATA:

Net weight: 21 kg / 46 lbs

LPG

Heat output:

 \min : 6,3 kW (21 623 BTU); \max : 11,8 kW (40 219 BTU)

Gas rate:

min.: 0,5 kg/h (1,1 lbs/h); max.: 0,93 kg/h (2,05 lbs/h)

Gas pressure: 37 mbar / 11 WC

NG

Heat output:

min.: 4,7 kW (16 108 BTU); max.: 9,4 kW (32 215 BTU)

Gas rate:

min.: $0.5 \text{ m}^3/\text{h}$ ($17.7 \text{ ft}^3/\text{h}$); max.: $1.0 \text{ m}^3/\text{h}$ (2.05 lbs/h)

Gas pressure: 20 mbar / 7 WC

Finish: stainless steel



GALIO FIRE PIT CORTEN

OUTDOOR

Galio Corten Fire Pit is an automatic outdoor gas fireplace enclosed in a round, puristic case resistant to the most severe weather conditions. Exposed to the outside environment, the steel develops a rusty in appearance oxide layer. All of this make it a safe and durable fireplace for your garden or terrace.

Its heart – the unique fire-pit-shape burner – creates an even and concentrated flame that will bring every outdoor space to life. The fireplace can also be fitted with an optional glass cylinder which covers the flame and provides an additional aesthetic value.

Galio Corten Fire Pit is a free-standing, portable product. This feature allows for easy installation and free arrangement of the fireplace (no electric connection required). Three control solutions, an integrated Easy Start panel, SHS and optional handheld remote offer extra comfort and easy control of the device and the flame. Together with safe, low voltage and two fuel options (Natural Gas or LPG), Galio Corten Fire Pit is the ideal fireplace for outdoor spaces of any kind.



FEATURES:

Round burner LPG/Natural Gas powered For outdoor use Intuitive control panel Flame height regulation Custom size

TECHNICAL DATA:

Net weight: 65 kg / 143 lbs LPG

Heat output:

min.: 2,5 kW (8 649 BTU); max.: 5,1 kW (17 299 BTU)

min.: 0,2 kg/h (0,44 lbs/h); max.: 0,4 kg/h (0,88 lbs/h)

Gas pressure: 37 mbar / 11 WC

NG

Heat output:

min.: 2,4 kW (8 054 BTU); max.: 4,7 kW (16 108 BTU)

min.: $0.25 \text{ m}^3/\text{h}$ ($8.8 \text{ ft}^3/\text{h}$); max.: $0.5 \text{ m}^3/\text{h}$ ($17.7 \text{ ft}^3/\text{h}$)

Gas pressure: 20 mbar / 7 WC

No electrical connection

Portable form

Decorative Black Diamond stones

SHS compatible

Optional glass cylinder

Finish:

CASING: corten steel BURNER: stainless steel





GALIO FIRE PIT INSERT

OUTDOOR

Galio Fire Pit Insert is an automatic outdoor gas fireplace that ensures endless arrangement possibilities and provides everything you need to make your outdoor space perfect and complete.

With the unique fire-pit burner, it creates flames of an exceptional look and shape. Also, the external fuel options (Natural Gas or LPG) ensure high performance and a natural, golden fire at all times.

Galio Fire Pit Insert was designed to endure severe weather conditions. The combination of quality materials, certified components and low operating voltage make the product reliable and safe. To increase the comfort of use, Fire Pit offers three independent control solutions – an Easy Start panel, SHS and optional handheld remote, all of which allow for easy and intuitive control of the fireplace and the flame. The product also comes with an optional glass cylinder which covers the flame and intensifies its attractiveness even more.

Galio Fire Pit Insert is everything you need for your outdoor space.



FEATURES:

Round burner LPG/Natural Gas powered For outdoor use Intuitive control panel Flame height regulation

TECHNICAL DATA:

Net weight: 15 kg / 33 lbs

LPG

Heat output:

min.: 2,5 kW(8 649 BTU); max.: 5,1 kW (17 299 BTU)

min.: 0,2 kg/h (0,44 lbs/h); max.: 0,4 kg/h (0,88 lbs/h)

Gas pressure: 37 mbar / 11 WC

NG

Heat output:

min.: 2,4 kW(8 054 BTU); max.: 4,7 kW (16 108 BTU)

min.: $0.25 \text{ m}^3/\text{h}$ ($8.8 \text{ ft}^3/\text{h}$); max.: $0.5 \text{ m}^3/\text{h}$ ($17.7 \text{ ft}^3/\text{h}$)

Gas pressure: 20 mbar / 7 WC

Customization available Decorative Black Diamond stones SHS compatible Optional glass cylinder

Finish:

BURNER: stainless steel

PRODUCT COMPARISON

ADDITIONAL OPTIONS AND FUNCTIONS


	VALENTINO	MONROE	VERSAL	SINATRA
FLUE SYSTEM	BALANCED 200/130	BALANCED 200/130	CONVENTIONAL	CONVENTIONAL
ANTI-REFLECTIVE GLAZING	STANDARD	STANDARD	-	OPTIONAL
NO GLASS ENCLOSURE	-	-	-	OPTIONAL
BLACK CERAMIC GLASS (REAR LINING)	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
BRICK PANEL (REAR LINING)	-	OPTIONAL	OPTIONAL	OPTIONAL
LED LIGHTING	-	-	-	OPTIONAL
AMBIENT LIGHTING	-	-	STANDARD	-
CERAMIC LOGS + VERMICULITE	STANDARD	STANDARD	STANDARD	OPTIONAL
CRYSTAL DIAMOND EMBERS	-	-	-	OPTIONAL
BLACK DIAMOND STONES	STANDARD	-	-	STANDARD
WHITE PEBBLES	STANDARD	-	-	STANDARD
BLACK GLASS EMBERS	-	-	-	STANDARD
CHILD LOCK	STANDARD	STANDARD	STANDARD	STANDARD


PRODUCT COMPARISON


ADDITIONAL OPTIONS AND FUNCTIONS


	VALENTINO	MONROE	VERSAL	SINATRA
ECO FLOW MODE	STANDARD	STANDARD	STANDARD	STANDARD
THERMOSTAT	STANDARD	STANDARD	-	-
SMART HOME SYSTEM COMPATIBILITY	STANDARD	STANDARD	STANDARD	STANDARD
REMOTE CONTROL	STANDARD	STANDARD	STANDARD	STANDARD
WI-FI AND SERVICE REMINDER	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
CO SENSOR	STANDARD	STANDARD	-	STANDARD
GAS SENSOR	STANDARD	STANDARD	-	STANDARD
SEISMIC ACTIVITY SENSOR	STANDARD	STANDARD	STANDARD	STANDARD
BURNER	1 CENTRAL & 2 SIDE BURNERS	1 UPPER & 1 LOWER	1	MUTLIPLE, DEPENDING ON LENGTH
WALL BRACKET	-	-	OPTIONAL	-
WOODBOX	-	-	OPTIONAL	-
HEAT INFLECTOR	STANDARD	STANDARD	-	-
CUSTOMIZATION	-	-	AVAILABLE	AVAILABLE
CONVECTIONAL FAN	-	-	STANDARD	-


VALENTINO























MONROE


TECHNICAL DRAWINGS


VERSAL INSERT























VERSAL FREESTANDING


TECHNICAL DRAWINGS


VERSAL WOODBOX

































































OUTDOOR

